

PRODUCT CATALOGUE



TRAINING COURSES
ON SITE



BEST
DELIVERY



OPTIMAL
STORAGE



PERSONAL
CONTACT PERSON

EXPORT
INTERNATIONAL

ENGLISH



PAGE	CONTENTS	
3	ROAD MAINTENANCE	
8	ROAD CONSTRUCTION	
11	MANHOLE REPAIR	
15	ROAD MARKINGS	
17	LANDSCAPE & PAVING WORK	
18	TRAFFIC ENGINEERING	

STRASSENTECHNIK'S TRUMP CARDS

- ⇒ Expertise & system solutions
- ⇒ Personal customer advisers
- ⇒ Presentations of materials & training
- ⇒ 24h delivery of fresh products
- ⇒ Delivery direct to the construction site
- ⇒ Well rounded product range
- ⇒ Recyclable product packaging

SYMBOLS/MEANING

- Very environmentally friendly
- Solvent-free
- Product innovation

- | | |
|----------------|------------|
| No frost | Shelf life |
| Frost tolerant | Density |
| No direct sun | |
| Sun tolerant | |
| No rain | |
| Rain tolerant | |



THE FUTURE IS SOLVENT-FREE

Bavaria has a target of becoming climate-neutral by 2040 at the latest and reducing CO² by 65% by 2030 compared to 1990. We are committed to these principles and have started by setting up a programme for climate action and sustainability.


Nadler is setting a further milestone on the path to neutrality with the introduction of the new 100 series.

"THE FUTURE IS SOLVENT-FREE" is the motto for our 100% solvent-free products.

Giscode RepA 10

- Label certifying products as solvent-free
- No health hazards for workers
- No environmental hazard






MyAsphalt


Solvent-free, highly stable reactive asphalt with high flowability

- Can be processed cold, fully curing
- Can be hot overlaid

	Grit size	Pack	PU	Art. Nr.
MyAsphalt NEW	0/2	25 kg	40 buckets	014680
MyAsphalt NEW	0/5	25 kg	40 buckets	014681



6 months
2.5 g/cm³




Granuphalt® 100


Solvent-free, stable asphalt granulate, free-flowing, with dry texture

- Can be processed cold, extremely strong grit bonding
- Compaction by traffic

	Pack	PU	Art. Nr.
Granuphalt® 100 - bag	20 kg	50 bags	014151
Granuphalt® 100 - bucket	20 kg	40 buckets	014153



6 months
2.5 g/cm³




ChipFill


Ready-to-use, hot-applied thermoplastic granules for the temporary repair of frost cracks and small potholes

- Fast and cost-effective repair

	Pack	PU	Art. Nr.
ChipFill	12 kg	66 bags	014691
ChipFill - primer spray	680 ml	1 tins	014692
Grip agent	20 kg	1 bag	014693



12 months




Primer spray / primer coat

To improve the layer bond between existing asphalt or concrete and cold mix

- For optimum bond between layers

	Pack	PU	Art. Nr.
Primer spray	600 ml	12 tins	014022-1
Pistol for primer spray		1 pc	014210



9 months
0.74 g/cm³



Liquid asphalt (2-component)

Bitumen-based levelling compound
 • highly abrasion-resistant and durable grip / Fast re-opening for traffic

	Pack	PU	Art. Nr.
Liquid asphalt 0/2	19 kg	40 bags	011072
Liquid asphalt 0/3	18 kg	40 bags	011073
Emulsion 0/2	1,5 kg	2 bottles	011077
Emulsion 0/3	2 kg	1 bottle	011078
Grain component 0/2	16 kg	1 bag	011079
Grain component 0/3	16 kg	1 bag	011080
Cover board FA		1 pc	011039

12 months (grain)
 3 months (emulsion)
 2,5 g/cm³



Liquid asphalt HD (2-component)

Resin-based levelling compound
 • especially for heavy duty surfaces
 • highly resilient, abrasion-resistant & durable grip
 • fast re-opening for traffic

	Pack	PU	Art. Nr.
Liquid asphalt HD powder	15 kg	50 bags	011050
Liquid asphalt HD curing agent	3 kg	50 buckets	011051
Concrete primer	2 kg	1 tin	011036
Catalyst	100 g	1 sachet	011026
Filler QS 2/8	25 kg	1 bag	011053

6 months
 2,0 kg/l



Bücofix SRV (2-component)

Repair and bonding PMMA-based mortar for the most demanding requirements.
 • Highly mechanically resilient
 • Extreme adhesion

	Pack	PU	Art. Nr.
Bücofix black	5 kg	75 Pack	011011
Bücofix grey	5 kg	75 Pack	011012
Catalyst	100 g	1 sachet	011026
Concrete primer	2 kg	1 tin	011036

6 months
 1,9 g/cm³




Elasto Rep (2-component)

Solvent-free acrylate-based coating
 • Consistency adjustable with fillers

	Pack	PU	Art. Nr.
Elasto Rep	7 kg	39 Pack	011015-1
Active primer	1 l	1 tin	011017
Curing agent	80 g	1 sachet	011016

Installation heights: up to 2 cm (on surface) | up to 4 cm (poured asphalt gutters)

6 months
 1,6 g/cm³



Bitumen slurries

Ready-to-use bitumen slurries with fine mineral filler components
 • Binder enrichment of rough, deteriorated asphalt surfaces

	Pack	PU	Art. Nr.
BFS Special solvent-free	20 kg	24 buckets	012022

6 months (BFS)
 1,3 g/cm³



Pattern crack repair compounds

Specially developed, solvent-free, polymer-modified bitumen emulsions
 • Especially for pattern cracks, fine hairline cracks and individual cracks up to 3 mm. (Riss-0-San) respectively 10 mm (BioBAP 2K)
 • Runs down to the bottom of the crack

	Pack	PU	Art. Nr.
Riss-0-San	20 kg	24 buckets	015001-2
Granufleur granite chippings 1/3	25 kg	40 bag	016101
BioBAP 2K	12,5 kg	32 buckets	015009
Bituminous noble chippings 1/3	20 kg	30 buckets	013199-2

6 months (Riss-0-San)
 12 months (BioBAP)
 1,0 g/cm³



Biolast 2K cold grout (2-component)

Cold grout compound consisting of reactive bitumen and reactive components
 • Optimum for small grouting jobs
 • Excellent flank adhesion

	Pack	PU	Art. Nr.
Biolast - starterpack with cartridge gun	425 g	2 cartridges	013271
Biolast - minipack	425 g	12 cartridges	013272
Biolast single cartridge	425 g	1 cartridge	013278
Biolast Cartridge gun		1 pc	013281
Biolast XL	5 l	1 bucket	013290-1
OMNI Primer Spray	600 ml	6 tins	021973

12 months
 1,1 g/cm³



Kerb stone mortar (2-component)

Particularly fine-grained 2-component mortar based on epoxy resin
 • Especially for repairing damage in concrete

	Pack	PU	Art. Nr.
Kerb stone Mortar (FB 0-1)	8 kg	1 bucket	016112
Kerb stone Mortar (FB 0-1)	20 kg	1 bucket	016113
Kerb stone Mortar (FB 0-1)	25 kg	1 bag	016114
Bonding agent	1 kg	1 sachet	016070
Bonding agent	2 / 10 kg	1 bucket	0160-71/73
FixBeton 2 component starterkit	9 kg	1 pack	013220

12 months
 2,0 g/cm³

Hot grouting compounds

Based on polymer-modified bitumen and mineral aggregates
 Grouting joints and cracks in asphalt and concrete surfaces
 • Grouting tracks and paved surfaces
 • Sealing sheet pile locks



	Pack	PU	Art. Nr.
Nadler joint sealant N2	11 kg (0,7/30 kg on request)	80 cubes	013133
Pleximelt Rubber Plus N2	13,6 kg	70 bag	013147
Bridge joint sealant N1	10 / 22 kg	80 / 36 cubes	013144 / 45
Paving grouting (D: 1,5 g/cm³)	15 kg	60 cubes	013135
SWS-Sealant	11 kg	80 cubes	013163
Multi Primer	10 / 30 l	1 canister	013604 / 05



Hot-air lances

With gas cylinder holder, stone guard and connections
 • For external compressor or with integrated compressor
 • Alternatively with driving assistance

		Weight	Art. Nr.
Asphalt-Risseboy 2021	for external compressor	30 kg	013375
- Support wheel Solo			013375-1
- Support wheel TWIN			013375-2
- side-blowing module			013375-3
Komp EVO	with integrated compressor	80 kg	013550
Komp SL	with integrated compressor	165 kg	013397
- Driving assistance/LED set			



Tornado

Joint dryer with high-performance turbine
 • Fast and pore-deep drying or cleaning


	Weight	Art. Nr.
Tornado hot-air lance	approx. 120 kg	013499
- Fan cover		013499-3
- Edge cover		013499-2
Tornado supply- and transportbox		013499-1



Crack and joint router

• Joint production after asphalt work
 • Routing cracks
 • Removing old joint fillings
 • Dust-free joint cutting with built-in extraction device

	Weight	Art. Nr.
Crack & Joint routing machine with built-in extraction device	260 kg	013494
HRF-L - Hydraulic crack router slow-rotating, low-dust	650 kg	013365
F-REX joint cutter with built-in extraction device	1250 kg	013468



Grout kettle

Combi-kettle with integrated mixer. Indirect heat source via heat shield; hot air distribution via heat conduction plates
 • Alternatively with temperature control

		Weight	Art. Nr.
KK50 (alternatively stationary)	50 l	65 kg	013392
- Set of smooth running castors			
Grouting tools (hand puller+trowel)			013387
Pouring can	3,5 l		013318
Grouting block tongs			0133871
ZSK-grouting funnel	7 l	approx. 18 kg	013380



PE-cord (Inlay cord)

Closed-cell polyethylene foam round cord, especially for joint sealing
 • Available in 2 versions +80°C (cold grouting) +200°C (hot grouting)
 • Prevents 3-edge adhesion in concrete

	Ø	Pack	PU	+ 80°C	+ 200°C
PE-cord	10 mm	1700 m	1 roll	013149	013701
PE-cord	13 mm	1100 m	1 roll	-/-	013702
PE-cord	15 mm	780 m	1 roll	013150	013703
PE-cord	19 mm	500 m	1 roll	-/-	013704
PE-cord	22 mm	360 m	1 roll	013151	013705
PE-cord	25 mm	280 m	1 roll	013152	013706
PE-cord	32 mm	190 m	1 roll	013153	013707



Grout kettle, large

Indirectly heated large kettle with mixer
 • With self-drive and pump system
 • Thermostat-controlled safety cut-out
 • Heated hose

	Model	Art. Nr.
R. Rupprecht HLK Cube NEW	140 l	-/-
R. Rupprecht HLK grouting kettle	120 l to 500 l	-/-
Linnhoff & Henne grouting kettle	300 l to 700 l	-/-
Stationary kettle	90 l	0133924
Stationary kettle	120 l	
Stationary kettle	120 l with pump system	



Joint spacing strip

The joint spacing strip revolutionizes the spacing of joints in rolled asphalt coverings
 • Milling of cracks
 • Can be pulled out after the asphalt has been laid

	Size	PU	Art. Nr.
Joint spacing strip	40 x 15 mm	250 m	013166
Joint spacing strip	50 x 20 mm	150 m	013168
Joint spacing strip - self-adhesive	40 x 15 mm	250 m	013167





ElastoPlast EVO

For seams > For highly flexible and durable seam joints, stable (in accordance with TL S-Bit 15) & edge sealing > Bitumen compound for edge sealing of the asphalt body (according to TL S-Bit 15)

- Solvent-free
- Can be applied by hand and machine

6 months
0,98 g/cm³

	δ	Pack	PU	Art. Nr.
ElastoPlast EVO	1,2 g/cm ³	30 kg	18 buckets	023029
Elasto-Mat - Basic model				024108
Elasto-Mat - edge module				024121
Elasto-Mat - seam module				024122



Asphalt release agent

For various applications such as:
Mixing plant, skips & thermocontainers, feeders, pavers, rollers, tools, etc.

- As a concentrate or ready-to-use mixture

36 months


	based on	Pack	Art. Nr.
Divinol Asphalt PUR MFA	mineral oil	1000 l	022120-2
Divinol Asphalt PUR MF	mineral oil	20 l / 200 l / 1000 l	022115 / -1 / -2
Divinol Asphalt AQUA MK	mineral oil	20 l / 200 l / 1000 l	022110 / -1 / -2
Divinol mastic asphalt SK	soap	20 l / 200 l / 1000 l	022113 / -1 / -2
Divinol Asphalt OMNI SF	soap	20 l / 200 l / 1000 l	022114 / -1 / -2
Divinol Asphalt AQUA PK	plant oil	20 l / 200 l / 1000 l	022111 / -1 / -2
Divinol Asphalt PREMIUM PK	plant oil	20 l / 200 l / 1000 l	022112 / -1 / -2



Bitumen cleaner & sample bucket

- Ready-to-use emulsion cleaner and degreaser with very high dissolving power
- Sample bucket for asphalt according to TP Asphalt-StB, Part 27

	Pack	PU	Art. Nr.
Asphalt sample buckets	10 l	250 buckets	022060
Divinol Asphalt loosener MF	20 l / 200 l	1 pc	022116 / -1
B-EX bitumen cleaner (Spray)	500 ml	12 tins	022024-1
Cleaning bucket		1 pc	019511
Primer syringe		1 pc	051030



SCHAP & SCHAP-Box Manhole cover plates

SCHAP: Overrun protection and protection of the component against internal contamination
Made of steel with welded-on support cross
SCHAP-Box: Securing/storage system for 12 SCHAPs, fully galvanized, stackable

	PU	Art. Nr.
SCHAP-Box	1 pc	032450
SCHAP 8	8 mm	20 pc
SCHAP 10	10 mm	20 pc



Adhesive emulsion

Bitumen emulsion consisting of road construction bitumen, water, emulsifiers and solvents

- Can be processed cold
- For bonding individual asphalt layers

3 months
1,01 g/cm³

	Pack	PU	Art. Nr.
C40 B5-S	20 kg	24 canister	014202-3
C40 B5-S	190 kg	4 Barrels	014014-202
C40 B5-S	1000 kg	1 IBC	014014-1
C60BP4-S			- on request -
Manhole shield (BEGU-protection layer)		50 pc	023321



HKS Pro adhesive sprayer

Optimal for small construction sites in combination with our 20 kg small adhesive containers

- Eliminates the need for manual distribution
- Efficient and fast spreading of bituminous adhesives and release agents

	Model	PU	Art. Nr.
HKS Pro	18 l	1 pc	024079
Truck adapter 2 m hose		1 pc	024082
Car valve adapter	brass	1 pc	024083
Hand lance		1 pc	024089
Fan nozzle 110° blue	plastic	1 pc	024081
Spare spiral hose	5 m	1 pc	024091




Asphacal TC lime milk

Highly concentrated hydrated lime suspension - especially for the hot summer months

- Reduces or prevents the discharge of bitumen emulsion
- Optimization of the overall layer bond

	Pack	PU	Art. Nr.
Asphacal TC lime milk PURE	20 l	1 canister	023351-1
Asphacal TC lime milk PURE	1000 l	1 IBC	023350
Asphacal-O-Mat 1000		1 pc	024128




Reinforcement sheets

Stress-relieving bridging of cracks and joints in asphalt and concrete

- Minimum superstructure 4 cm
- Use as SAMI layer

	width	length	PU	Art. Nr.
EASYGrid Rapid	1 m	40 m	11 rolls	021513
Self-adhesive reinforcement sheet	0,5 m	15 m	30 rolls	021512
Self-adhesive reinforcement sheet	1 m	15 m	15 rolls	021511





amtec ASPHALTBOX
Asphalt-thermocontainer

The asphalt thermocontainer are manufactured using a stable lightweight construction. This allows for high payloads and large volume reserves during filling.

All attachments are galvanised. Weatherproof lid closures prevent water penetration and cooling of the hot asphalt during operation.

FEATURES

- Particularly light and stable
- Different rear designs for ease of uncoupling
- Cover opening using gas pressure spring/hydraulics
- 2-chamber version
- Support feet, crane lugs or forklift pockets
- Safety operating system




amtec TWINBOX 4D
Asphalt-thermocontainer made of Hardox

The perfect asphalt thermocontainer for repair work and paver loading.

Newly developed corrosion and condensation protection extends the service life many times over and maintains a durable insulating performance.

FEATURES

- Stainless steel outer shell
- Durable due to Hardox quality and use of high-strength steels
- Economical due to low dead weight and high payload
- Perfect insulation and condensation protection
- Maximum filling opening despite low design
- Safety operating system
- Corrosion protection



HARDOX-THERMOTROUGHS
Asphalt-thermotroughs with Hardox design

The robust CMT asphalt thermotroughs with Hardox are tailored to customer requirements and vehicles.

The stable and particularly lightweight container offers high payloads for asphalt and bulk material.

Models are available as roll-off or tipper bodies with different rear designs with manual operation, hydraulic or pneumatic.

FEATURES

- Particularly light and stable
- Perfect insulation and condensation protection
- Use for hot asphalt and bulk material
- Hardox inner container
- Stainless steel outer wall
- Safety operating system
- Corrosion protection




amtec SIDE DISTRIBUTOR ASV
For asphalt & shoulder laying

The side distributor is an attachment for wheel loaders and municipal vehicles.

Can be used for hard shoulder laying (bulk material) and for asphalt paving and pipe trenches.

FEATURES

- High output rate
- Labour savings
- Reduces manual installation



Manhole frame lifter 4-arm motor-hydraulic

Fully hydraulic manhole frame lifter for all frame adjustment applications - even for lifting manhole frames during new construction or manhole repair

- With a lifting capacity of 44 t
- Raising the manhole frame through the asphalt top layer

	Model	Weight	Art. Nr.
Manhole frame lifter 4.3	motor hydraulics	360 kg	032497-1
Cutting ring - class D	centring		032425
Adapter ring Ø up to 1150 mm			- on request -




Manhole frame lifter 3-arm motor-hydraulic

Fully hydraulic manhole frame lifting device for lifting class D and B manhole frames during repairs

- With a lifting capacity of 33 t
- With height stop - automatic adjustment of the expanding bit to the height of the annular gap

	Model	Weight	Art. Nr.
Manhole frame lifter 3.3	motor hydraulics	290 kg	032493
Adapter ring Ø up to 960 mm			- on request -




Manhole frame lifter 3-arm manual-hydraulic

Manual hydraulic manhole frame lifting device for lifting class D and B manhole frames during repairs

- With a lifting capacity of 33 t
- With height stop - automatic adjustment of the expanding bit to the height of the annular gap

	Model	Weight	Art. Nr.
Manhole frame lifter 3.1	manual hydraulics	215 kg	032492-2
Adapter ring Ø up to 960 mm			- on request -





Grouting Moulds

Moulds for grouting annular gaps when adjusting manhole frames - in various designs

	Grout level	Art. Nr.
Air cladding mould LMS PROFI	up to approx. 20 cm	032307
Air cladding mould LMS Standard	up to approx. 20 cm	032305
Tube mould	up to approx. 8 cm	032301
Metal mould	up to approx. 10 cm	032304
Rain gully mould	up to approx. 7 cm	032308



Dirt collecting tray SAT

Prevents excavated material and grout residue from falling into the manhole structure during manhole repair.

Made of aluminium with rubber rim

	Model	Weight	Art. Nr.
Dirt collecting tray SAT	aluminium	7,5 kg	032001
Replacement rubber SAT			032001_1



Riser Rings / Rubber Spacer

Concrete riser rings (outer diameter smaller than that of the manhole frame) are placed and set into the manhole with rubber spacers

	Model	PU	Art. Nr.
Riser ring	3 cm	1 pc	030013
Riser ring	5 cm	1 pc	030015
Riser ring	8 cm	1 pc	030018
Rubber spacer		1 m Piece	030010



Adjustment device JVR

For the free-hanging installation of manhole frames without wedges or similar

- 3 adjustable feet, can also be used next to kerb stones
- Adjusting manhole frames to road level

	Model	Weight	Art. Nr.
Adjustment device JVR	collapsible	30 kg	032210



Anti-rattle pads / damping inserts

- Long-lasting damping properties
- Fits in ALL manhole covers and surface box covers
- Prevents manhole covers from rattling

	Model	PU	Art. Nr.	
Anti-rattle pads	50 pc	1 carton	031224	
Damping ring	black	DIN 4290	100 pc	031203
Damping ring	grey	DIN 19584	100 pc	031204
EPDM Damping ring	black	DIN 4290	100 pc	031222
EPDM Damping ring	black	DIN 19584	100 pc	031223



Repair covers

- Class D400 cover with just 10 cm height
- Replacement of manhole cover to be repair because of insufficient clearance between cone and street level (< 16 cm)


	PU	Art. Nr.
Frame without cover with concrete	10 pc	031414
Cover with ventilation and concrete	10 pc	031415
Cover without ventilation with concrete	10 pc	031416
Cover, 16-hole	10 pc	031426
Dirt tray	10 pc	031409



Mobile manhole cover lifter

Mobile manhole cover lifter zum for opening and moving manhole covers

	Model	Weight	Art. Nr.
MSD Flexi	extendable	12 kg	032120
Various hooks		- on request -	



Manhole cover lifter

- Made of aluminum or steel for opening manhole covers, gate valves and hydrants
- Titan Alu - for manholes, caps
- Tiger claw - for locked lids, gate valves, caps and manhole covers

	Model	Weight	Art. Nr.
Titan Alu		3 kg	032101
Tiger claw standard	80 cm	2 kg	032153
Tiger claw extended	95 cm	2 kg	032153-1





Lift fix sink box cover lifter

Made of steel for opening sumps with special hooks for sludge buckets
 • For ergonomic work

Model	Weight	Art. Nr.
Lift fix	70 cm 3 kg	032117_2



NADLER measuring jug

For quality assurance in the processing of ERGELIT® and liquid asphalt
 • With a special measuring scale for liters and kilograms
 • For measuring water addition and dividing containers

Model	PU	Art. Nr.
Nadler measuring jug	5 l 1 pc	032036
EasyClip closure & carrying aid	1 pc	051079



PE-grouting bucket

Special grouting bucket for 1 bag of grouting mortar or manhole construction mortar with pouring nose

Model	PU	Art. Nr.
PE-grouting bucket	30 l 1 pc	032033



Promatic TITANIUM (with piezo ignition)

With bayonet fitting for quick burner change
 • Extremely light
 • ON/OFF function in the handle - for greater safety
 • With 360°-rotatable hose connection

Model	PU	Art. Nr.
Promatic Titanium manual gas burner	1 pc	013957
5 m HP hose set	5 m 1 pc	013357_7
10 m HP hose set	10 m 1 pc	013357_6
Various attachment/accessory parts		on request



Thermoplastic lines

Fusible thermoplastic with reflective beads and grip material for marking (traffic) surfaces made of asphalt, concrete* and natural stone paving* (*only with primer/undercoat)
 • Other sizes on request

Model	Pack	PU	Art. Nr.
1000 x 100 mm	30 pc	1 carton	07300662110
1000 x 120 mm	25 pc	1 carton	07300662120
1000 x 150 mm	20 pc	1 carton	07300662130
1000 x 250 mm	10 pc	1 carton	07300662150
1000 x 300 mm	10 pc	1 carton	07300662160
1000 x 500 mm	5 pc	1 carton	07300662180
500 x 250 mm	20 pc	1 carton	07300663918



Thermoplastic rolls

Fusible thermoplastic with reflective beads and grip material for marking (traffic) surfaces made of asphalt, concrete* and natural stone paving* (*only with primer/undercoat)
 • Other sizes on request

Model	Pack	PU	Art. Nr.
50 x 5000 mm	5 m	10 rolls	07300681140
100 x 5000 mm	5 m	6 rolls	07300681132
120 x 5000 mm	5 m	6 rolls	07300681138
150 x 5000 mm	5 m	5 rolls	07300601144



Thermoplastic directional arrows

Fusible thermoplastic with reflective beads and grip material for marking (traffic) surfaces made of asphalt, concrete* and natural stone paving* (*only with primer/undercoat)
 • Other sizes on request

Model	Pack	PU	Direction	Art. Nr.
2500 mm	5 pc	1 carton		07300664700
5000 mm	2 pc	1 carton		07300664710
5000 mm	2 pc	1 carton	r / l	07300664750 / -1
5000 mm	2 pc	1 carton	r / l	07300664790 / -1
5000 mm	1 pc	1 carton		-/-
5000 mm	2 pc	1 carton		07300664820



Thermoplastic traffic signs

Fusible thermoplastic with reflective beads and grip material for marking (traffic) surfaces made of asphalt, concrete* and natural stone paving* (*only with primer/undercoat)
 • Other sizes on request

Model	PU	Art. Nr.
Triangles 2400 x 1200 mm	1 pc 1 carton	-/-
Triangles 4000 x 2000 mm	1 pc 1 carton	-/-
Circles Ø 1000 mm	1 pc 1 carton	-/-
Circles 2000 x 1000 mm	1 pc 1 carton	-/-
Square 2400 x 1200 mm	1 pc 1 carton	-/-
STOP Ø 2000 mm	1 pc 1 carton	-/-





Thermoplastic games

Fusible thermoplastic with reflective beads and grip material for marking (traffic) surfaces made of asphalt, concrete* and natural stone paving* (*only with primer/undercoat)
 • Other sizes on request

	Size	Pack	PU	Art. Nr.
Alphabet	30 x 30 mm	1 pc	1 carton	072002
Hopscotch	30 x 30 mm	1 pc	1 carton	072003
Snake	440 x 270 mm		1 carton	072006
Compass	400 x 400 mm	1 pc	1 carton	072011



12 months


Tactile marking

Tactile thermoplastic marking of asphalt, concrete and paved surfaces
 Used by visually impaired and blind people to cross roads safely or to indicate danger spots

	Size	Pack	PU	Art. Nr.
Tac Pad	300 x 300 mm	20 pc	1 carton	0730066666
Tac Guide	300 x 300 mm	20 pc	1 carton	07300663665
Adhesive Layer	300 x 300 mm	40 pc	1 carton	07300663667



12 months



Thermoplastik primer

Primer for thermoplastic for pretreating the substrate of the surface to be marked

	Pack	PU	Art. Nr.
ZK Primer - for natural stone paving & concrete	380 ml	1 cartridge	07300303641
Cartridge gun	1 pc	1 gun	07300303642
Primer - for Asphalt	4,5 l	1 canister	073001013104
Glass beads with grip agent	20 kg	1 bag	07300404111



12 months


Construction site marking film

For temporary traffic guidance on construction sites, etc.
 Aluminum carrier coated with glass beads in yellow or white

	Pack	PU	Art. Nr.
Construction site marking film - 12 cm width	100 m	1 roll	073001
Primer	7 l	1 canister	073003

1 canister primer required per 100 m roll!



24 months


fugi-fix slurry^{PLUS} & slurry (ready-to-use)

For jointing all types of paving in pedestrian areas
 • From 3 mm joint width & 30 mm joint depth
 • Suitable for almost all types of stone

	δ	Colour	Pack	PU	Art. Nr.
fugi-fix slurry ^{PLUS}	1,61 g/cm ³	light/sand	25 kg	40 buckets	028040
fugi-fix slurry ^{PLUS}	1,61 g/cm ³	stonegray	25 kg	40 buckets	028041
fugi-fix slurry ^{PLUS}	1,61 g/cm ³	anthracite	25 kg	40 buckets	028042
fugi-fix slurry	1,46 g/cm ³	light/sand	25 kg	40 buckets	028001-1
fugi-fix slurry	1,46 g/cm ³	stonegray	25 kg	40 buckets	028002-1
fugi-fix slurry	1,46 g/cm ³	anthracite	25 kg	40 buckets	028003-1




12 months
see product


fugi-fix quick fix (2 components)

For grouting all types of paving in the car and truck sector up to 25 t load capacity
 Based on epoxy resin and quartz sand
 • From 5 mm joint width & 30 mm joint depth

	Colour	Pack	PU	Art. Nr.
fugi-fix quick fix	light/sand	30 kg	24 buckets	028010-1
fugi-fix quick fix	stonegray	30 kg	24 buckets	028011-1
fugi-fix quick fix	anthracite	30 kg	24 buckets	028012-1



12 months
1,67 g/cm³


fugi-fix reno (2 components)

For renovating old paving and gutters with defective/broken cement joints
 For loads of up to 25 t - Based on epoxy resin and quartz sand
 • From 3 mm joint width & 10 mm joint depth
 • Also suitable for ceramic tiles

	Colour	Pack	PU	Art. Nr.
fugi-fix reno	light/sand	30 kg	24 buckets	028017
fugi-fix reno	stonegray	30 kg	24 buckets	028018
fugi-fix reno	anthracite	30 kg	24 buckets	028019



12 months
1,65 g/cm³


IBC High pressure cleaner

Paving joint cleaning device, compressor-operated, for cleaning joints on paved surfaces and other possible applications

	Model	Weight	Art. Nr.
IBC High pressure cleaner	1000 l		024001





Roadflex RF

Sustainable soil and bed consolidation on almost all types of soil even with organic content

- Reduction in maintenance effort

6 months

 1,05 g/cm³

	Pack	PU	Art. Nr.
Roadflex RF	1000 l / IBC	1 pc	- on request -



FLEYG Ramps

Mobile drive-on ramps for steel plates for excavations and milled edge protection

- Quick and easy to install
- Reusable (can be used for years)

	Size (LxBxH)	PU	Art. Nr.
FLEYG 100	1000 x 400 x 42 mm	1 pc	029001
FLEYG 75	750 x 400 x 42 mm		029002
FLEYG 25 Corner	250 x 250 x 42 mm		029003
FLEYG EDGE Low Milled edge protection	750 x 250 x 42 mm		029004
FLEYG EDGE High Milled edge protection	750 x 400 x 64 mm		029005
FLEYG EDGE Fixing			029006
FLEYG HIGHWAY			029007




$$\begin{array}{ccccccc}
 \text{Length in cm} & \times & \text{Width in cm} & \times & \text{Depth in cm} & \times & \text{Density in g/cm}^3 & = & \text{Consumption in g} \\
 100 \text{ cm} & \times & 100 \text{ cm} & \times & 1 \text{ cm} & \times & 2,5 \text{ g/cm}^3 & = & 25000 \text{ g} = 25 \text{ kg}
 \end{array}$$

Product

6-9 months
 2,5 g/cm³

USE OUR CONSUMPTION CALCULATOR AT STRASSENTECHNIK.DE



The information printed in this catalog is based on experience and the current state of science and practice, but is non-binding and does not constitute a contractual legal relationship. Changes, misprints and errors excepted.

Images used in this catalog: 179542181©06photo/Shutterstock | 189247073©06photo/Shutterstock



STRASSENTECHNIK.DE



**GEORG
TROMPLER** [BBA]



EXPORTMANAGER



+49 (0) 178 - 77 99 261
+49 (0) 84 44 - 92 400 - 60
georg.trompler@strassentechnik.de

STRASSENTECHNIK.DE

NADLER STRASSENTECHNIK GMBH

FRAUNHOFERSTRASSE 3
85301 SCHWEITENKIRCHEN
GERMANY

+49 (0) 39 206 - 21 91 11
+49 (0) 84 44 - 92 400 - 60
EXPORT @ STRASSENTECHNIK.DE

